IncidentShare (1.0.0)

E-mail: service@incidentshare.dk | Terms of Service

This is the IncidentShare API provided by Incendium A/S

Authentication

basicAuth

This authentication method will be deprecated in the future.

Security Scheme Type	HTTP
HTTP Authorization Scheme	basic

oAuth

This API uses OAuth 2 with the clientCredentials grant flow.
You should send a POST request for the access token to the token url below with a JSON object that includes
grant_type: 'client_credentials'
client_id:'PROVIDED BY INCENDIUM'
client_secrect:'PROVIDED BY INCENDIUM'.

This will return a JSON object with expires_in that denotes how many seconds the access token is valid for and the actual access_token.
The access token can then be used to make any of the other API requests, if you provided it as an Authorization header in the form of a bearer token:
Authorization: Bearer INSERT_ACCESS_TOKEN
Please note: Should you receive a 401 response to a request it might simply be because the access token has expired.

Security Scheme Type	OAuth2
clientCredentials OAuth Flow	**Token URL:** https://YOUR-SITE.incidentshare.com/?oauth=token **Scopes:**

SMS to Video

Everything about SMS to video

Send link to user by SMS from your IncidentShare site

AUTHORIZATIONS: **(** basicAuth **) OR (** oAuth **)**

REQUEST BODY SCHEMA: application/json

SMS that should be send. If either country_code or sms_template are empty we will use the default settings of your site. user_email or user_login_name makes it possible to send the SMS as if you were another user on the site.

phone_number required	string
country_code	integer
incident_id	string Send the link with this as incident id / stream id
sms_template	string
user_email	string Send SMS as the IncidentShare user with this email.
user_login_name	string Send SMS as the IncidentShare user with this login name.
reference_no	string
notes	string

Responses

> **200** The SMS was sent

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

POST /incidentshare/rest/v1/sms

Request samples

Payload

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "phone_number": "string",
    "country_code": 0,
    "incident_id": "string",
    "sms_template": "string",
    "user_email": "string",
    "user_login_name": "string",
    "reference_no": "string",
    "notes": "string"
}
```

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "success": true,
```

```
        "stream_id": "string",
        "id": 0
    }
```

Send link to user by Email from your incidentShare site

AUTHORIZATIONS: (basicAuth) **OR (** oAuth)

REQUEST BODY SCHEMA: application/json

Email that should be send. Only the email parameter is required. If the sms_template parameter is empty we wil use the default settings of your site. user_email makes it possible to send the email as if you were another user on the site. The last parameters are only used by Insurance comapnies.

email required	string
sms_template	string
user_email	string Send email as the IncidentShare user with this email name.
user_login_name	string Send email as the IncidentShare user with this login name.
reference_no	string
notes	string

Responses

> **200** The email was sent

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

POST   /incidentshare/rest/v1/email

Request samples

Payload

Content type

application/json

Copy   Expand all   Collapse all

```
{
    "email": "string",
    "sms_template": "string",
    "user_email": "string",
    "user_login_name": "string",
    "reference_no": "string",
    "notes": "string"
}
```

Response samples

200

Content type

application/json

Copy   Expand all   Collapse all

```
{
    "success": true
}
```

Media Files

Everything about media files

Finds the latest date when a media file has been added

AUTHORIZATIONS: (basicAuth) **OR** (oAuth)

Responses

> **200** The latest date in timezone aware format: YYYY-MM-DD HH:ii:S

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

GET /incidentshare/rest/v1/transmissions/latest

Response samples

| 200 |

Content type
application/json

Copy   Expand all   Collapse all

```
{
    "success": true,
    "latest": "string"
}
```

Finds the latest date when a media file has been added (unix timestamp)

AUTHORIZATIONS: (basicAuth) **OR** (oAuth)

Responses

> **200** The latest date in the as a unix timestamp

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

GET   /v1/media-files/latest

Response samples

Content type
application/json

Copy   Expand all   Collapse all

```json
{
    "success": true,
    "latest": "string"
}
```

Finds the media files

Gets the media files grouped in the links or application/channels they come from.

AUTHORIZATIONS: **(** basicAuth **) OR (** oAuth **)**

QUERY PARAMETERS

include_media_files required	boolean Only supports true at this point
saved_date_after	integer If used the result will only show media files that have been added after the provided timestamp

Responses

> **200** Success - Got Transmisisons with media files

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

GET /incidentshare/rest/v1/transmissions

Response samples

200

Content type
application/json

Copy   Expand all   Collapse all

```
[
    - {
          "stream_id": "string",
          "date_send": "string",
          "date_expires": "string",
          "phone_number": "string",
          "notes": "string",
          "send_by_user_login": "string",
          "send_by_user_id": "string",
        + "send_by_team_ids": [ … ],
        + "send_by_team_names": [ … ],
        + "files": [ … ]
      }
]
```

Finds the media files

Gets the media files grouped in the links or application/channels they come from. This is a simpler end point than the one above.

QUERY PARAMETERS

saved_date_after	integer If used the result will only show media files that have been added after the provided timestamp
include_older_group_files	boolean This indicates if ALL files from a group (link or application/channel) should be returned when a file in the group meets the saved_date_after requirement (default). Can only be used in conjuction with saved_date_after.

Responses

> **200** Success - Got Transmisisons with media files

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

GET   /v1/media-files

Response samples

> 200

Content type
application/json

Copy   Expand all   Collapse all

```
[
  - {
      "stream id": "string"
```

```
      "stream_id": "string",
      "date_send": "string",
      "date_expires": "string",
      "phone_number": "string",
      "notes": "string",
      "send_by_user_login": "string",
      "send_by_user_id": "string",
    + "send_by_team_ids": [ … ],
    + "send_by_team_names": [ … ],
    + "files": [ … ]
    }
  ]
```

Uploads a media file to the stream id

AUTHORIZATIONS: **(** basicAuth **) OR (** oAuth **)**

REQUEST BODY SCHEMA: multipart/form-data

media_file   string <binary>

Responses

> **200** Success - Media file uploaded

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

POST   /incidentshare/rest/v1/stream_id/{stream_id}/media_file

Response samples

┌─────────┐
│   200   │
└─────────┘

Content type
application/json

Copy   Expand all   Collapse all

```json
{
    "success": true
}
```

Streams

Everything about streams

Finds the streams

AUTHORIZATIONS: (basicAuth) **OR** (oAuth)

QUERY PARAMETERS

viewer_ip	string
	The ip that should be authorized to view the channels

Responses

> **200** Array of channels

— **401** You do not have permission to this resource

— **500** An error occured on our side. Please try again or contact us.

GET   /incidentshare-appconfig/v2/channels

Response samples

Content type

application/json

Copy   Expand all   Collapse all

```json
[
  - {
        "name": "string",
        "url": "string",
        "app_name": "string",
        "server_name": "string",
        "is_live": true
    }
]
```